Datenblatt/datasheet





Artikelnummer/Itemnumber: 102045-0

Tarifnummer Export: 44184000 | Frachtkategorie: D

Holzschalungsträger SCHAKE H20, Länge: 4500 mm, Höhe: 200 mm, ohne Endkappen

Formwork beam of wood SCHAKE H20, Length: 4500 mm, Height: 200 mm, without end-cap



Artikelbeschreibung:

Holzschalungsträger SCHAKE H20 robuster, hochwertig verleimter Holz-Allzweckträger, form- und kraftschlüssig eingepresst, Abschrägung vermindert Gefahr von Holzrissen und Absplitterungen, hohe Tragkraft bei geringem Eigengewicht, Nadelholz aus heimischen, nachhaltig bewirtschafteten Wäldern (nach PEFC zertifiziert), Länge: 4500 mm, Höhe: 200 mm, ohne Endkappen

Verwendungszweck:

Für den Einsatz bei Arbeiten im Hochbau

Technische Daten:

Gewicht: 21,40 kg/St Material: Nadelholz

item description:

Formwork beam of wood SCHAKE H20 robust, high-quality glued wood all-purpose support, positive and frictional press- fit, bevel avoids wood cracks and splinters, high carrying power with low deadweight, softwood from indigenous forests under susainable management (PEFC certified), Length: 4500 mm, Height: 200 mm, without end-cap

designated purpose:

For the application for work in building construction

technical specifications:

weight: 21,40 kg/pc material: softwood