Datenblatt/datasheet






Artikelnummer/Itemnumber: 111952

Betonzwinge, Schallänge: 0 - 900 mm

Tarifnummer Export: 73084000 | Frachtkategorie: A

Formwork clamp, Formwork length: 0 - 900 mm





Artikelbeschreibung:

Betonzwinge aus 8 mm starkem, gebogenem Flachstahl gefertigt. Schieber besteht aus gelochtem Vierkantstahl. Wetterfest beschichtet und in mehreren Schalungslängen erhältlich, Schallänge: 0 - 900 mm

Verwendungszweck:

Für den Einsatz bei Arbeiten im Hochbau

Technische Daten:

Gewicht: 5,20 kg/St Material: S235 JR

Oberfläche:

Tauchlackierung in RAL 8017

item description:

Formwork clamp made of 8 mm thick bent flat-bar steel. Slide made of perforated square section.
Weatherproof coating and available in different formwork lengths, Formwork length: 0 - 900 mm

designated purpose:

For the application for work in building construction

technical specifications:

weight: 5,20 kg/pc material: S235 JR

surface:

painted in RAL 8017

^{*}Alle Angaben sind Richtwerte (teilweise mit branchenüblichen Rundungen zum besseren Verständnis) und dienen leidglich zum Produktverständnis, nicht aber als Basis zum Bau von Zubehörteilen, Lagergestellen, Adaptierungen, Kombinationsprodukten oä. Alle Angaben sind ohne Gewähr, für evtl. Fehler und resultierende Folgen übernehmen wir keine Verantwortung.
*All data are approximate values (partly with industry-standard rounding for better understanding) and serve only for product understanding, but not as a basis for the design of accessories, storage solutions, adaptations, combination products or the like. All information is without guarantee, for possible errors and resulting consequences we assume no responsibility.