# Datenblatt/datasheet






Artikelnummer/Itemnumber: 35303

Tarifnummer Export: 73170060 | Frachtkategorie: A

Erdspieß Typ Standard 60 nach TL

Ground peg type standard 60 to TL





# **Artikelbeschreibung:**

Erdspieß nach TL - Typ Standard 60, zum Einstecken von 60 x 60 mm und Ø 60 mm Schaftrohren, angespitztes T-Profil mit aufgeschweißtem Schlagblech zum Einschlagen ins Erdreich, ein Trapezblech sichert den Erdspieß gegen Torsion, 2 Stellschrauben fixieren das Schaftrohr im Aufnahmestutzen, Einschlagtiefe: 460 mm

# Verwendungszweck:

Für den Einsatz bei Arbeiten im Straßenbau

#### **Technische Daten:**

Gewicht: 8,00 kg/St

Material: S235 JR

Oberfläche:

Feuerverzinkung nach DIN ISO 1461

## item description:

Ground spike according to TL - type Standard 60, for insertion of 60 x 60 mm and Ø 60 mm shaft pipes, pointed T-profile with welded-on striking plate for driving into the ground, a trapezoidal plate secures the ground spike against torsion, 2 set screws fix the shaft tube in the receiving socket, driving-in depth: 460 mm

#### designated purpose:

For the application for work in road building

## technical specifications:

weight: 8,00 kg/pc material:

S235 JR

surface:

hot dipped galvanized acc. to DIN ISO 1461

<sup>\*</sup>Alle Angaben sind Richtwerte (teilweise mit branchenüblichen Rundungen zum besseren Verständnis) und dienen leidglich zum Produktverständnis, nicht aber als Basis zum Bau von Zubehörteilen, Lagergestellen, Adaptierungen, Kombinationsprodukten oä. Alle Angaben sind ohne Gewähr, für evtl. Fehler und resultierende Folgen übernehmen wir keine Verantwortung.
\*All data are approximate values (partly with industry-standard rounding for better understanding) and serve only for product understanding, but not as a basis for the design of accessories, storage solutions, adaptations, combination products or the like. All information is without guarantee, for possible errors and resulting consequences we assume no responsibility.